

## Author index to volume 145

- Aguilar, A., B. Brunetti, M. González and F. Vecchiocattivi, A crossed beam study of the ionization of molecules by metastable neon atoms 145 (1990) 211
- Alexander, M.H., see B. Pouilly 145 (1990) 191
- Allen, W.D., Y. Yamaguchi, A.G. Császár, D.A. Clabo Jr., R.B. Remington and H.F. Schaefer III, A systematic study of molecular vibrational anharmonicity and vibration-rotation interaction by self-consistent-field higher-derivative methods. Linear polyatomic molecules 145 (1990) 427
- Angstl, R., Calculation of molecular  $g$  tensors. Comparison of Rayleigh-Schrödinger and Hartree-Fock perturbation theory 145 (1990) 413
- Aquilanti, V., R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani, Scattering of magnetically analyzed  $F(^2P)$  atoms and their interactions with He, Ne,  $H_2$  and  $CH_4$  145 (1990) 293
- Aspect, A., N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais, Preparation of a pure intense beam of metastable helium by laser cooling 145 (1990) 307
- Bagryanskaya, E.G., see I.V. Koptug 145 (1990) 375
- Bancroft, G.M., see J.D. Bozek 145 (1990) 131
- Baudon, J., F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland, Polarization effects in metastable neon atom ( $Ne^*(^3P_2)$ ) on ground state neon atom collision at thermal energy 145 (1990) 153
- Beijerinck, H.C.W., see E.J.D. Vredenburg 145 (1990) 267
- Bencivenni, L., see F. Ramondo 145 (1990) 27
- Boom, W., see E.J.D. Vredenburg 145 (1990) 267
- Bozek, J.D., G.M. Bancroft and K.H. Tan, Resonances in the silicon L core level cross sections of fluoromethylsilane compounds characterized by photoabsorption spectroscopy and MS-X $\alpha$  calculations 145 (1990) 131
- Braghetti, M., see H.A. Kołodziej 145 (1990) 355
- Brion, C.E., see G. Cooper 145 (1990) 117
- Brunetti, B., see A. Aguilar 145 (1990) 211
- Caia, V., see H.A. Kołodziej 145 (1990) 355
- Caminiti, R., see F. Ramondo 145 (1990) 27
- Candori, R., see V. Aquilanti 145 (1990) 293
- Cappelletti, D., see V. Aquilanti 145 (1990) 293
- Castex, M.C., see F. Spiegelmann 145 (1990) 173
- Chiu, Y.-N. and M. Gong, Spin symmetry and interaction mechanisms in free radical reactions 145 (1990) 397
- Clabo Jr., D.A., see W.D. Allen 145 (1990) 427
- Cooper, G., W. Zhang, C.E. Brion and K.H. Tan, Photoelectron spectroscopy of the freon molecules  $CF_3Cl$ ,  $CF_2Cl_2$  and  $CFCl_3$  using synchrotron radiation from 41 to 160 eV 145 (1990) 117
- Császár, A.G., see W.D. Allen 145 (1990) 427

- Das, P.K., see S. Ramasesha 145 (1990) 343
- Delaval, J.M., see J. Schamps 145 (1990) 101
- Delos, J.B., see S.E. Haywood 145 (1990) 253
- Distefano, G., see A. Modelli 145 (1990) 89
- Dubicki, L., see M.J. Riley 145 (1990) 363
- Faucher, O., see J. Schamps 145 (1990) 101
- Friend, D.G., see C.A. Nieto de Castro 145 (1990) 19
- Fünfschilling, J., see P. Petelenz 145 (1990) 333
- Gadea, F.X., see F. Spiegelmann 145 (1990) 173
- Getino, C., B.G. Sumpter and J. Santamaria, Intramolecular and reactive dynamics of OH-overtone excited HOOH(D): a classical trajectory study on a quasiseparable potential surface 145 (1990) 1
- Głowiak, T., see H.A. Kołodziej 145 (1990) 355
- Gong, M., see Y.-N. Chiu 145 (1990) 397
- González, M., see A. Aguilar 145 (1990) 211
- Grandinetti, F., see F. Ramondo 145 (1990) 27
- Grishin, Yu.A., see I.V. Koptug 145 (1990) 375
- Guerra, M., see A. Modelli 145 (1990) 89
- Gunde, R., T.-K. Ha and H.H. Günthard, Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane: Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier 145 (1990) 37
- Günthard, H.H., see R. Gunde 145 (1990) 37
- Ha, T.-K., see R. Gunde 145 (1990) 37
- Haberland, H., see J. Baudon 145 (1990) 153
- Haberland, H., see A. Aspect 145 (1990) 307
- Haywood, S.E. and J.B. Delos, A close-coupling theory of associative detachment of electrons from negative ions 145 (1990) 253
- Hennecart, D., see H. Kucal 145 (1990) 163
- Hotop, H., see A. Merz 145 (1990) 219
- Jones, D., see A. Modelli 145 (1990) 89
- Kaiser, R., see A. Aspect 145 (1990) 307
- Karrais, M., see A. Aspect 145 (1990) 307
- Kołodziej, H.A., T. Głowiak, S. Sorriso, V. Caia and M. Braghetti, The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene 145 (1990) 355
- Koptug, I.V., E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev, The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones 145 (1990) 375
- Krausz, E.R., see M.J. Riley 145 (1990) 363
- Kucal, H., D. Hennecart and F. Masnou-Seeuws, Model potential methods for the treatment of collisions between an excited rare gas and a ground state rare gas: accuracy and limitations 145 (1990) 163

- Ladik, J., see C.-M. Liegener 145 (1990) 385
- Lermé, J., Iterative methods to compute one- and two-dimensional Franck-Condon factors. Tests of accuracy and application to study indirect molecular transitions 145 (1990) 67
- Liegener, C.-M., A. Sutjianto and J. Ladik, The treatment of electron correlation in aperiodic systems. III. Application to polypeptides 145 (1990) 385
- Luzzatti, E., see V. Aquilanti 145 (1990) 293
- Malinovsky, A.L. and E.A. Ryabov, Intramolecular vibrational distribution in IR multiphoton excited  $\text{CF}_3\text{CH}_2\text{OH}$  145 (1990) 389
- Masnou-Seeuws, F., see H. Kucal 145 (1990) 163
- Merz, A., M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre, Experimental and theoretical studies of simple attractive Penning ionization systems 145 (1990) 219
- Metcalf, H., see B. Sheehy 145 (1990) 317
- Meyer, W., see A. Merz 145 (1990) 219
- Miniatura, Ch., see J. Baudon 145 (1990) 153
- Modelli, A., F. Scagnolari, G. Distefano, M. Guerra and D. Jones, Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment 145 (1990) 89
- Moran, G., see M.J. Riley 145 (1990) 363
- Morgner, H., The validity of the local approximation in Penning ionization as studied by model calculations 145 (1990) 239
- Movre, M., see A. Merz 145 (1990) 219
- Müller, M.W., see A. Merz 145 (1990) 219
- Nieto de Castro, C.A., D.G. Friend, R.A. Perkins and J.C. Rainwater, Thermal conductivity of a moderately dense gas 145 (1990) 19
- Perales, F., see J. Baudon 145 (1990) 153
- Perkins, R.A., see C.A. Nieto de Castro 145 (1990) 19
- Petelenz, P. and J. Fünfschilling, Resonantly enhanced external heavy atom effect in organic glasses 145 (1990) 333
- Pirani, F., see V. Aquilanti 145 (1990) 293
- Pouilly, B. and M.H. Alexander, A new look at the retention of orbital alignment in collisions involving atoms in  $^1\text{P}$  electronic states:  $\text{Ca}(4s5p^1\text{P}) + \text{He}$  145 (1990) 191
- Rainwater, J.C., see C.A. Nieto de Castro 145 (1990) 19
- Ramasesha, S. and P.K. Das, Second harmonic generation coefficients in push-pull polyenes: a model exact study 145 (1990) 343
- Ramondo, F., L. Bencivenni, R. Caminiti and F. Grandinetti, Coordination structures and vibrational frequencies of Li and Na metaphosphates and nitrates. An ab initio SCF study 145 (1990) 27
- Reinhardt, J., see J. Baudon 145 (1990) 153
- Remington, R.B., see W.D. Allen 145 (1990) 427
- Riley, M.J., L. Dubicki, G. Moran, E.R. Krausz and I. Yamada, Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in  $\text{K}_2\text{ZnF}_4$  145 (1990) 363
- Robert, J., see J. Baudon 145 (1990) 153
- Ruf, M.-W., see A. Merz 145 (1990) 219
- Ryabov, E.A., see A.L. Malinovsky 145 (1990) 389



- Sagdeev, R.Z., see I.V. Koptug 145 (1990) 375
- Santamaria, J., see C. Getino 145 (1990) 1
- Scagnolari, F., see A. Modelli 145 (1990) 89
- Schaefer III, H.F., see W.D. Allen 145 (1990) 427
- Schamps, J., J.M. Delaval and O. Faucher, A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF 145 (1990) 101
- Shang, S.-Q., see B. Sheehy 145 (1990) 317
- Sheehy, B., S.-Q. Shang, P. van der Straten and H. Metcalf, Collimation of a rubidium beam below the Doppler limit 145 (1990) 317
- Shimizu, F., K. Shimizu and H. Takuma, A high intensity metastable neon trap 145 (1990) 327
- Shimizu, K., see F. Shimizu 145 (1990) 327
- Song, G., Non-empirical calculation of the Whitten-Rabinovitch coefficient 145 (1990) 111
- Sorriso, S., see H.A. Kołodziej 145 (1990) 355
- Spiegelmann, F., F.X. Gadea and M.C. Castex, Theoretical study of the electronic structure of the ArKr\* exciplex 145 (1990) 173
- Sumpter, B.G., see C. Getino 145 (1990) 1
- Sutjianto, A., see C.-M. Liegener 145 (1990) 385
- Takuma, H., see F. Shimizu 145 (1990) 327
- Tan, K.H., see G. Cooper 145 (1990) 117
- Tan, K.H., see J.D. Bozek 145 (1990) 131
- Van der Straten, P., see B. Sheehy 145 (1990) 317
- Van Gerwen, R.J.F., see E.J.D. Vredenbregt 145 (1990) 267
- Vansteenkiste, N., see A. Aspect 145 (1990) 307
- Vassilev, G., see J. Baudon 145 (1990) 153
- Vecchiocattivi, F., see A. Aguilar 145 (1990) 211
- Vredenbregt, E.J.D., W. Boom, R.J.F. van Gerwen and H.C.W. Beijerinck, Excitation transfer collisions of metastable Ar\*, Kr\* and Xe\* atoms with N<sub>2</sub>(X, v=0): collision energy dependence of excitation cross sections and product vibrational distribution of N<sub>2</sub>(C<sup>3</sup>Π<sub>u</sub>, v'=0,1,2,3) 145 (1990) 267
- Yamada, I., see M.J. Riley 145 (1990) 363
- Yamaguchi, Y., see W.D. Allen 145 (1990) 427
- Zhang, W., see G. Cooper 145 (1990) 117

# List of subjects

## 1 METHODS

### 1.1 Theoretical

- 1.1.1 Group theory and algebras \*
- 1.1.2 Classical mechanics \*
- 1.1.3 Quantized field theory
- 1.1.4 Many body and quasiparticle approaches \*
- 1.1.5 Coupling schemes and perturbative treatments \*
- 1.1.6 Relativistic quantum mechanics \*
- 1.1.7 Transport quantum mechanics
- 1.1.8 Equilibrium statistical mechanics
- 1.1.9 Statistical mechanics of stationary states
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories \*
- 1.1.11 Ab initio schemes for stationary properties \*
- 1.1.12 Computational and simulation methods \*
- 1.1.13 Molecular dynamics and scattering theory \*

### 1.2 Experimental

- 1.2.1 Magnetic resonances \*
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy \*
- 1.2.4 Infrared spectroscopy
- 1.2.5 Raman spectroscopy \*
- 1.2.6 Visible and UV spectroscopy \*
- 1.2.7 Fluorescence spectroscopy
- 1.2.8 Photoelectron and Auger spectroscopy \*
- 1.2.9 X-ray spectroscopy \*
- 1.2.10 Electron impact spectroscopy \*
- 1.2.11 Laser methods \*
- 1.2.12 Picosecond spectroscopy
- 1.2.13 Non-linear optical spectroscopy
- 1.2.14 Synchrotron spectroscopies \*
- 1.2.15 Coherent optical spectroscopy \*
- 1.2.16 Optical pumping \*
- 1.2.17 Multiple resonance spectroscopy \*
- 1.2.18 Optoacoustic spectroscopy
- 1.2.19 Atomic and molecular beam techniques \*
- 1.2.20 Time-resolved experiments \*
- 1.2.21 Mass spectrometry
- 1.2.22 Radiolysis
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction
- 1.2.25 Neutron scattering
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables \*

## 2 OBJECTS

### 2.1 Bulk systems

- 2.1.1 Gases \*
- 2.1.2 Supersonic beams \*
- 2.1.3 Liquids neat
- 2.1.4 Liquid mixtures and solutions \*
- 2.1.5 Crystals \*
- 2.1.5.1 neat
- 2.1.5.2 mixed \*
- 2.1.6 Glasses \*
- 2.1.7 Liquid crystals
- 2.1.8 Polymers \*
- 2.1.9 Semiconductors
- 2.1.10 Metals and alloys
- 2.1.11 Thin films
- 2.1.12 Surfaces
- 2.1.13 Low-dimensional materials
- 2.1.14 Dielectrics
- 2.1.15 Plasmas \*
- 2.1.16 Biological systems

### 2.2 Microscopic systems

- 2.2.1 Atoms \*
- 2.2.2 Molecules (neutral and ionic) \*
- 2.2.2.1 diatomic \*
- 2.2.2.2 small polyatomics \*
- 2.2.2.3 aromatics \*
- 2.2.2.4 other large
- 2.2.2.5 polymeric and biological \*
- 2.2.3 Molecular aggregates \*
- 2.2.3.1 dimers
- 2.2.3.2 van der Waals molecules \*
- 2.2.3.3 clusters \*
- 2.2.3.4 complexes
- 2.2.4 Free radicals (including hydronium and muonium) \*
- 2.2.5 Quasiparticles (including excitons)
- 2.2.6 Defects and impurities
- 2.2.7 Ions and charge carriers \*

\* Denotes subjects covered in this volume

### 3 PHENOMENA

- 3.1 Molecular structure \*
- 3.2 Vibrations and rotations of molecules \*
- 3.3 Electronic structure and states \*
- 3.4 Electric and magnetic properties \*
- 3.5 Spin splittings
- 3.6 Optical activity
- 3.7 Molecular interactions \*
- 3.8 Spectral bandshapes and intensities \*
- 3.9 Coupling of electronic and nuclear motion \*
- 3.10 Energy transfer processes \*
- 3.11 Molecular photophysical processes \*
- 3.12 Intramolecular dynamics \*
  - 3.12.1 radiationless transitions
  - 3.12.2 vibrational energy redistribution (including vibrational dissociation) \*
- 3.13 Luminescence spectra, yields and lifetimes \*
- 3.14 Coherence loss processes
- 3.15 Non-linear responses (including optical)
- 3.16 Multiphoton phenomena \*
- 3.17 Reactions (including dissociation) \*
  - 3.17.1 gas phase \*
  - 3.17.2 condensed phase
  - 3.17.3 photochemical \*
- 3.18 Tunnelling
- 3.19 Electron transfer
- 3.20 Positron annihilation
- 3.21 Ionization (including Rydberg states) \*
- 3.22 Molecular motion (including diffusive) \*
- 3.23 Isotopic effects
- 3.24 Fluctuations and noise
- 3.25 Collective motion and excitations
- 3.26 Surface effects and catalysis
- 3.27 Thermodynamic and transport properties \*
- 3.28 Structure of solids and liquids
- 3.29 Critical phenomena
- 3.30 Phase transitions \*

## Subject index to volume 145

### METHODS

#### Theoretical

##### *Group theory and algebras*

- Spin symmetry and interaction mechanisms in free radical reactions, Y.-N. Chiu and M. Gong 145 (1990) 397

##### *Classical mechanics*

- Intramolecular and reactive dynamics of OH-overtone excited HOOH(D): a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1

##### *Many body and quasiparticle approaches*

- The treatment of electron correlation in aperiodic systems. III. Application to polypeptides, C.-M. Liegener, A. Sutjianto and J. Ladik 145 (1990) 385

##### *Coupling schemes and perturbative treatments*

- Theoretical study of the electronic structure of the ArKr\* exciplex, F. Spiegelmann, F.X. Gadea and M.C. Castex 145 (1990) 173  
 The validity of the local approximation in Penning ionization as studied by model calculations, H. Morgner 145 (1990) 239  
 A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253  
 Calculation of molecular g tensors. Comparison of Rayleigh-Schrödinger and Hartree-Fock perturbation theory, R. Angstl 145 (1990) 413

##### *Relativistic quantum mechanics*

- Theoretical study of the electronic structure of the ArKr\* exciplex, F. Spiegelmann, F.X. Gadea and M.C. Castex 145 (1990) 173

##### *Non-equilibrium thermodynamic and hydrodynamic theories*

- Thermal conductivity of a moderately dense gas, C.A. Nieto de Castro, D.G. Friend, R.A. Perkins and J.C. Rainwater 145 (1990) 19

##### *Ab initio schemes for stationary properties*

- Coordination structures and vibrational frequencies of Li and Na metaphosphates and nitrates. An ab initio SCF study, F. Ramondo, L. Bencivenni, R. Caminiti and F. Grandinetti 145 (1990) 27



- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane:Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37
- Theoretical study of the electronic structure of the ArKr\* exciplex, F. Spiegelmann, F.X. Gadea and M.C. Castex 145 (1990) 173
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- A systematic study of molecular vibrational anharmonicity and vibration-rotation interaction by self-consistent-field higher-derivative methods. Linear polyatomic molecules, W.D. Allen, Y. Yamaguchi, A.G. Császár, D.A. Clabo Jr., R.B. Remington and H.F. Schaefer III 145 (1990) 427

#### *Computational and simulation methods*

- Intramolecular and reactive dynamics of OH-overtone excited HOOH(D): a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1
- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane:Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37
- Iterative methods to compute one- and two-dimensional Franck-Condon factors. Tests of accuracy and application to study indirect molecular transitions, J. Lermé 145 (1990) 67
- Second harmonic generation coefficients in push-pull polyenes: a model exact study, S. Ramasesha and P.K. Das 145 (1990) 343
- Calculation of molecular *g* tensors. Comparison of Rayleigh-Schrödinger and Hartree-Fock perturbation theory, R. Angstl 145 (1990) 413

#### *Molecular dynamics and scattering theory*

- Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment, A. Modelli, F. Scagnolari, G. Distefano, M. Guerra and D. Jones 145 (1990) 89
- A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF, J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101
- Non-empirical calculation of the Whitten-Rabinovitch coefficient, G. Song 145 (1990) 111
- Model potential methods for the treatment of collisions between an excited rare gas and a ground state rare gas: accuracy and limitations, H. Kucal, D. Hennecart and F. Masnou-Seeuws 145 (1990) 163
- A new look at the retention of orbital alignment in collisions involving atoms in <sup>1</sup>P electronic states: Ca(4s5p<sup>1</sup>P)+He, B. Pouilly and M.H. Alexander 145 (1990) 191
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- The validity of the local approximation in Penning ionization as studied by model calculations, H. Morgner 145 (1990) 239
- A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253



- Excitation transfer collisions of metastable Ar\*, Kr\* and Xe\* atoms with N<sub>2</sub>(X,  $v=0$ ): collision energy dependence of excitation cross sections and product vibrational distribution of N<sub>2</sub>(C<sup>3</sup>Π<sub>u</sub>,  $v'=0,1,2,3$ ), E.J.D. Vredenburg, W. Boom, R.J.F. van Gerwen and H.C.W. Beijerinck 145 (1990) 267
- Experimental**
- Magnetic resonances*
- The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones, I.V. Koptug, E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev 145 (1990) 375
- Calculation of molecular  $g$  tensors. Comparison of Rayleigh–Schrödinger and Hartree–Fock perturbation theory, R. Angstl 145 (1990) 413
- Microwave spectroscopy*
- The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene, H.A. Kołodziej, T. Głowiak, S. Sorriso, V. Caia and M. Braghetti 145 (1990) 355
- Raman spectroscopy*
- Intramolecular vibrational distribution in IR multiphoton excited CF<sub>3</sub>CH<sub>2</sub>OH, A.L. Malinovsky and E.A. Ryabov 145 (1990) 389
- Visible and UV spectroscopy*
- A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF, J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101
- Resonantly enhanced external heavy atom effect in organic glasses, P. Petelenz and J. Fünfschilling 145 (1990) 333
- Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in K<sub>2</sub>ZnF<sub>4</sub>, M.J. Riley, L. Dubicki, G. Moran, E.R. Krausz and I. Yamada 145 (1990) 363
- Photoelectron and Auger spectroscopy*
- Photoelectron spectroscopy of the freon molecules CF<sub>3</sub>Cl, CF<sub>2</sub>Cl<sub>2</sub> and CFCl<sub>3</sub> using synchrotron radiation from 41 to 160 eV, G. Cooper, W. Zhang, C.E. Brion and K.H. Tan 145 (1990) 117
- The treatment of electron correlation in aperiodic systems. III. Application to polypeptides, C.-M. Liegener, A. Sutjianto and J. Ladik 145 (1990) 385
- X-ray spectroscopy*
- Resonances in the silicon L core level cross sections of fluoromethylsilane compounds characterized by photoabsorption spectroscopy and MS-X $\alpha$  calculations, J.D. Bozek, G.M. Bancroft and K.H. Tan 145 (1990) 131
- Electron impact spectroscopy*
- Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment, A. Modelli, F. Scagnolari, G. Distefano, M. Guerra and D. Jones 145 (1990) 89

*Laser methods*

- Polarization effects in metastable neon atom ( $\text{Ne}^*(^3\text{P}_2)$ ) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153
- Preparation of a pure intense beam of metastable helium by laser cooling, A. Aspect, N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais 145 (1990) 307
- Collimation of a rubidium beam below the Doppler limit, B. Sheehy, S.-Q. Shang, P. van der Straten and H. Metcalf 145 (1990) 317
- A high intensity metastable neon trap, F. Shimizu, K. Shimizu and H. Takuma 145 (1990) 327

*Synchrotron spectroscopies*

- Photoelectron spectroscopy of the freon molecules  $\text{CF}_3\text{Cl}$ ,  $\text{CF}_2\text{Cl}_2$  and  $\text{CFCl}_3$  using synchrotron radiation from 41 to 160 eV, G. Cooper, W. Zhang, C.E. Brion and K.H. Tan 145 (1990) 117
- Resonances in the silicon L core level cross sections of fluoromethylsilane compounds characterized by photoabsorption spectroscopy and MS-X $\alpha$  calculations, J.D. Bozek, G.M. Bancroft and K.H. Tan 145 (1990) 131

*Coherent optical spectroscopy*

- Polarization effects in metastable neon atom ( $\text{Ne}^*(^3\text{P}_2)$ ) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153

*Optical pumping*

- Preparation of a pure intense beam of metastable helium by laser cooling, A. Aspect, N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais 145 (1990) 307

*Multiple resonance spectroscopy*

- The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones, I.V. Koptug, E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev 145 (1990) 375

*Atomic and molecular beam techniques*

- Polarization effects in metastable neon atom ( $\text{Ne}^*(^3\text{P}_2)$ ) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153
- A crossed beam study of the ionization of molecules by metastable neon atoms, A. Aguilar, B. Brunetti, M. González and F. Vecchiocattivi 145 (1990) 211
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- Excitation transfer collisions of metastable  $\text{Ar}^*$ ,  $\text{Kr}^*$  and  $\text{Xe}^*$  atoms with  $\text{N}_2(\text{X}, v=0)$ : collision energy dependence of excitation cross sections and product vibrational distribution of  $\text{N}_2(\text{C}^3\Pi_u, v'=0,1,2,3)$ , E.J.D. Vredenbregt, W. Boom, R.J.F. van Gerwen and H.C.W. Beijerinck 145 (1990) 267
- Scattering of magnetically analyzed  $\text{F}(^2\text{P})$  atoms and their interactions with He, Ne,  $\text{H}_2$  and  $\text{CH}_4$ , V. Aquilanti, R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani 145 (1990) 293
- Preparation of a pure intense beam of metastable helium by laser cooling, A. Aspect, N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais 145 (1990) 307
- Collimation of a rubidium beam below the Doppler limit, B. Sheehy, S.-Q. Shang, P. van der Straten and H. Metcalf 145 (1990) 317

- A high intensity metastable neon trap, F. Shimizu, K. Shimizu and H. Takuma 145 (1990) 327
- Time-resolved experiments*
- A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF, J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101
- Resonantly enhanced external heavy atom effect in organic glasses, P. Petelenz and J. Fünfschilling 145 (1990) 333
- Intramolecular vibrational distribution in IR multiphoton excited CF<sub>3</sub>CH<sub>2</sub>OH, A.L. Malinovsky and E.A. Ryabov 145 (1990) 389
- Measurement of macroscopic variables*
- Thermal conductivity of a moderately dense gas, C.A. Nieto de Castro, D.G. Friend, R.A. Perkins and J.C. Rainwater 145 (1990) 19
- OBJECTS**
- Bulk systems**
- Gases*
- Thermal conductivity of a moderately dense gas, C.A. Nieto de Castro, D.G. Friend, R.A. Perkins and J.C. Rainwater 145 (1990) 19
- Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment, A. Modelli, F. Scagnolari, G. Distefano, M. Guerra and D. Jones 145 (1990) 89
- Non-empirical calculation of the Whitten-Rabinovitch coefficient, G. Song 145 (1990) 111
- Scattering of magnetically analyzed F(<sup>2</sup>P) atoms and their interactions with He, Ne, H<sub>2</sub> and CH<sub>4</sub>, V. Aquilanti, R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani 145 (1990) 293
- Intramolecular vibrational distribution in IR multiphoton excited CF<sub>3</sub>CH<sub>2</sub>OH, A.L. Malinovsky and E.A. Ryabov 145 (1990) 389
- Supersonic beams*
- Preparation of a pure intense beam of metastable helium by laser cooling, A. Aspect, N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais 145 (1990) 307
- Liquid mixtures and solutions*
- The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones, I.V. Koptug, E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev 145 (1990) 375
- Crystals*
- The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene, H.A. Kołodziej, T. Głowiak, S. Sorriso, V. Caia and M. Braghetti 145 (1990) 355
- Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in K<sub>2</sub>ZnF<sub>4</sub>, M.J. Riley, L. Dubicki, G. Moran, E.R. Krausz and I. Yamada 145 (1990) 363
- mixed*
- Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in K<sub>2</sub>ZnF<sub>4</sub>, M.J. Riley, L. Dubicki, G. Moran, E.R. Krausz and I. Yamada 145 (1990) 363



*Glasses*

- Resonantly enhanced external heavy atom effect in organic glasses, P. Petelenz and J. Fünfschilling 145 (1990) 333

*Polymers*

- Second harmonic generation coefficients in push-pull polyenes: a model exact study, S. Ramasesha and P.K. Das 145 (1990) 343
- The treatment of electron correlation in aperiodic systems. III. Application to polypeptides, C.-M. Liegener, A. Sutjianto and J. Ladik 145 (1990) 385

*Plasmas*

- A crossed beam study of the ionization of molecules by metastable neon atoms, A. Aguilar, B. Brunetti, M. González and F. Vecchiocattivi 145 (1990) 211

**Microscopic systems***Atoms*

- Polarization effects in metastable neon atom ( $\text{Ne}^*(^3\text{P}_2)$ ) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153
- A new look at the retention of orbital alignment in collisions involving atoms in  $^1\text{P}$  electronic states:  $\text{Ca}(4s5p^1\text{P}) + \text{He}$ , B. Pouilly and M.H. Alexander 145 (1990) 191
- A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253
- Scattering of magnetically analyzed  $\text{F}(^2\text{P})$  atoms and their interactions with  $\text{He}$ ,  $\text{Ne}$ ,  $\text{H}_2$  and  $\text{CH}_4$ , V. Aquilanti, R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani 145 (1990) 293
- Preparation of a pure intense beam of metastable helium by laser cooling, A. Aspect, N. Vansteenkiste, R. Kaiser, H. Haberland and M. Karrais 145 (1990) 307
- Collimation of a rubidium beam below the Doppler limit, B. Sheehy, S.-Q. Shang, P. van der Straten and H. Metcalf 145 (1990) 317
- A high intensity metastable neon trap, F. Shimizu, K. Shimizu and H. Takuma 145 (1990) 327

*Molecules (neutral and ionic)*

- Coordination structures and vibrational frequencies of Li and Na metaphosphates and nitrates. An ab initio SCF study, F. Ramondo, L. Bencivenni, R. Caminiti and F. Grandinetti 145 (1990) 27
- Iterative methods to compute one- and two-dimensional Franck-Condon factors. Tests of accuracy and application to study indirect molecular transitions, J. Lermé 145 (1990) 67
- Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment, A. Modelli, F. Scagnolari, G. Distefano, M. Guerra and D. Jones 145 (1990) 89

*-diatomic*

- A calculation of radiative lifetimes of electronically excited rovibronic levels of  $\text{CuF}$ , J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101



- Model potential methods for the treatment of collisions between an excited rare gas and a ground state rare gas: accuracy and limitations, H. Kucal, D. Hennecart and F. Masnou-Seeuws 145 (1990) 163
- Theoretical study of the electronic structure of the ArKr\* exciplex, F. Spiegelmann, F.X. Gadea and M.C. Castex 145 (1990) 173
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- small polyatomics*
- Intramolecular and reactive dynamics of OH-overtone excited HOOH(D): a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1
- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane: Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37
- Iterative methods to compute one- and two-dimensional Franck-Condon factors. Tests of accuracy and application to study indirect molecular transitions, J. Lermé 145 (1990) 67
- Non-empirical calculation of the Whitten-Rabinovitch coefficient, G. Song 145 (1990) 111
- Photoelectron spectroscopy of the freon molecules CF<sub>3</sub>Cl, CF<sub>2</sub>Cl<sub>2</sub> and CFCl<sub>3</sub> using synchrotron radiation from 41 to 160 eV, G. Cooper, W. Zhang, C.E. Brion and K.H. Tan 145 (1990) 117
- Resonances in the silicon L core level cross sections of fluoromethylsilane compounds characterized by photoabsorption spectroscopy and MS-X $\alpha$  calculations, J.D. Bozek, G.M. Bancroft and K.H. Tan 145 (1990) 131
- Intramolecular vibrational distribution in IR multiphoton excited CF<sub>3</sub>CH<sub>2</sub>OH, A.L. Malinovsky and E.A. Ryabov 145 (1990) 389
- A systematic study of molecular vibrational anharmonicity and vibration-rotation interaction by self-consistent-field higher-derivative methods. Linear polyatomic molecules, W.D. Allen, Y. Yamaguchi, A.G. Császár, D.A. Clabo Jr., R.B. Remington and H.F. Schaefer III 145 (1990) 427
- aromatics*
- Calculation of molecular g tensors. Comparison of Rayleigh-Schrödinger and Hartree-Fock perturbation theory, R. Angstl 145 (1990) 413
- polymeric and biological*
- Second harmonic generation coefficients in push-pull polyenes: a model exact study, S. Ramasesha and P.K. Das 145 (1990) 343
- Molecular aggregates*
- van der Waals molecules*
- Scattering of magnetically analyzed F(<sup>2</sup>P) atoms and their interactions with He, Ne, H<sub>2</sub> and CH<sub>4</sub>, V. Aquilanti, R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani 145 (1990) 293

*-clusters*

- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane:Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37

*Free radicals (including hydronium and muonium)*

- The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones, I.V. Koptug, E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev 145 (1990) 375
- Spin symmetry and interaction mechanisms in free radical reactions, Y.-N. Chiu and M. Gong 145 (1990) 397

*Ions and charge carriers*

- A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253

**PHENOMENA***Molecular structure*

- Coordination structures and vibrational frequencies of Li and Na metaphosphates and nitrates. An ab initio SCF study, F. Ramondo, L. Bencivenni, R. Caminiti and F. Grandinetti 145 (1990) 27
- The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene, H.A. Kolodziej, T. Głowiak, S. Sorriso, V. Caia and M. Braghetti 145 (1990) 355
- A systematic study of molecular vibrational anharmonicity and vibration-rotation interaction by self-consistent-field higher-derivative methods. Linear polyatomic molecules, W.D. Allen, Y. Yamaguchi, A.G. Császár, D.A. Clabo Jr., R.B. Remington and H.F. Schaefer III 145 (1990) 427

*Vibrations and rotations of molecules*

- Intramolecular and reactive dynamics of OH-overtone excited HOOH(D): a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1
- A systematic study of molecular vibrational anharmonicity and vibration-rotation interaction by self-consistent-field higher-derivative methods. Linear polyatomic molecules, W.D. Allen, Y. Yamaguchi, A.G. Császár, D.A. Clabo Jr., R.B. Remington and H.F. Schaefer III 145 (1990) 427

*Electronic structure and states*

- Electronic structure of tert-butyl halides and group 14 derivatives: electron affinities and dissociative electron attachment, A. Modelli, F. Scagnolari, G. Distefano, M. Guerra and D. Jones 145 (1990) 89
- Photoelectron spectroscopy of the freon molecules CF<sub>3</sub>Cl, CF<sub>2</sub>Cl<sub>2</sub> and CFCl<sub>3</sub> using synchrotron radiation from 41 to 160 eV, G. Cooper, W. Zhang, C.E. Brion and K.H. Tan 145 (1990) 117
- Resonances in the silicon L core level cross sections of fluoromethylsilane compounds characterized by photoabsorption spectroscopy and MS-X $\alpha$  calculations, J.D. Bozek, G.M. Bancroft and K.H. Tan 145 (1990) 131

- Theoretical study of the electronic structure of the ArKr\* exciplex, F. Spiegelmann, F.X. Gadea and M.C. Castex 145 (1990) 173
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- Second harmonic generation coefficients in push-pull polyenes: a model exact study, S. Ramasesha and P.K. Das 145 (1990) 343
- Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in K<sub>2</sub>ZnF<sub>4</sub>, M.J. Riley, L. Dubicki, G. Moran, E.R. Krausz and I. Yamada 145 (1990) 363

#### *Electric and magnetic properties*

- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane: Ar<sub>364</sub>, ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37
- Calculation of molecular g tensors. Comparison of Rayleigh-Schrödinger and Hartree-Fock perturbation theory, R. Angstl 145 (1990) 413

#### *Molecular interactions*

- Polarization effects in metastable neon atom (Ne\*(<sup>3</sup>P<sub>2</sub>)) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153
- Model potential methods for the treatment of collisions between an excited rare gas and a ground state rare gas: accuracy and limitations, H. Kucal, D. Hennecart and F. Masnou-Seeuws 145 (1990) 163
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- Excitation transfer collisions of metastable Ar\*, Kr\* and Xe\* atoms with N<sub>2</sub>(X, v=0): collision energy dependence of excitation cross sections and product vibrational distribution of N<sub>2</sub>(C<sup>3</sup>Π<sub>u</sub>, v'=0,1,2,3), E.J.D. Vredenburg, W. Boom, R.J.F. van Gerwen and H.C.W. Beijerinck 145 (1990) 267
- Scattering of magnetically analyzed F(<sup>2</sup>P) atoms and their interactions with He, Ne, H<sub>2</sub> and CH<sub>4</sub>, V. Aquilanti, R. Candori, D. Cappelletti, E. Luzzatti and F. Pirani 145 (1990) 293
- Spin symmetry and interaction mechanisms in free radical reactions, Y.-N. Chiu and M. Gong 145 (1990) 397

#### *Spectral bandshapes and intensities*

- A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF, J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101
- Absorption and magnetic circular dichroism spectra of the compressed copper(II) ion in K<sub>2</sub>ZnF<sub>4</sub>, M.J. Riley, L. Dubicki, G. Moran, E.R. Krausz and I. Yamada 145 (1990) 363

#### *Coupling of electronic and nuclear motion*

- A calculation of radiative lifetimes of electronically excited rovibronic levels of CuF, J. Schamps, J.M. Delaval and O. Faucher 145 (1990) 101
- Polarization effects in metastable neon atom (Ne\*(<sup>3</sup>P<sub>2</sub>)) on ground state neon atom collision at thermal energy, J. Baudon, F. Perales, Ch. Miniatura, J. Robert, G. Vassilev, J. Reinhardt and H. Haberland 145 (1990) 153



*Energy transfer processes*

- Model potential methods for the treatment of collisions between an excited rare gas and a ground state rare gas: accuracy and limitations, H. Kucal, D. Hennecart and F. Masnou-Seeuws 145 (1990) 163
- A new look at the retention of orbital alignment in collisions involving atoms in  $^1P$  electronic states:  $\text{Ca}(4s5p^1P) + \text{He}$ , B. Pouilly and M.H. Alexander 145 (1990) 191
- Excitation transfer collisions of metastable  $\text{Ar}^*$ ,  $\text{Kr}^*$  and  $\text{Xe}^*$  atoms with  $\text{N}_2(X, v=0)$ : collision energy dependence of excitation cross sections and product vibrational distribution of  $\text{N}_2(C^3\Pi_u, v'=0,1,2,3)$ , E.J.D. Vredenburg, W. Boom, R.J.F. van Gerwen and H.C.W. Beijerinck 145 (1990) 267
- Resonantly enhanced external heavy atom effect in organic glasses, P. Petelenz and J. Fünfschilling 145 (1990) 333

*Molecular photophysical processes*

- Photoelectron spectroscopy of the freon molecules  $\text{CF}_3\text{Cl}$ ,  $\text{CF}_2\text{Cl}_2$  and  $\text{CFCl}_3$  using synchrotron radiation from 41 to 160 eV, G. Cooper, W. Zhang, C.E. Brion and K.H. Tan 145 (1990) 117

*Intramolecular dynamics*

- Intramolecular and reactive dynamics of OH-overtone excited  $\text{HOOH}(\text{D})$ : a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1
- Consistent force field modeling of matrix isolated molecules. V. Minimum energy path potential to the conformer conversion of 1,2-difluoroethane:  $\text{Ar}_{364}$ , ab initio calculation of electric multipole moments and electric polarization contribution to the conversion barrier, R. Gunde, T.-K. Ha and H.H. Günthard 145 (1990) 37

*-vibrational energy redistribution (including vibrational dissociation)*

- Intramolecular vibrational distribution in IR multiphoton excited  $\text{CF}_3\text{CH}_2\text{OH}$ , A.L. Malinovsky and E.A. Ryabov 145 (1990) 389

*Luminescence spectra, yields and lifetimes*

- Resonantly enhanced external heavy atom effect in organic glasses, P. Petelenz and J. Fünfschilling 145 (1990) 333

*Multiphoton phenomena*

- Intramolecular vibrational distribution in IR multiphoton excited  $\text{CF}_3\text{CH}_2\text{OH}$ , A.L. Malinovsky and E.A. Ryabov 145 (1990) 389

*Reactions (including dissociation)*

- Intramolecular and reactive dynamics of OH-overtone excited  $\text{HOOH}(\text{D})$ : a classical trajectory study on a quasiseparable potential surface, C. Getino, B.G. Sumpter and J. Santamaria 145 (1990) 1
- A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253
- Spin symmetry and interaction mechanisms in free radical reactions, Y.-N. Chiu and M. Gong 145 (1990) 397



*-gas phase*

- Non-empirical calculation of the Whitten-Rabinovitch coefficient, G. Song 145 (1990) 111

*-photochemical*

- Second harmonic generation coefficients in push-pull polyenes: a model exact study, S. Ramasesha and P.K. Das 145 (1990) 343
- The main regularities of SNP formation in biradicals on the photolysis of cycloalkanones, I.V. Koptug, E.G. Bagryanskaya, Yu.A. Grishin and R.Z. Sagdeev 145 (1990) 375
- Spin symmetry and interaction mechanisms in free radical reactions, Y.-N. Chiu and M. Gong 145 (1990) 397

*Ionization (including Rydberg states)*

- A crossed beam study of the ionization of molecules by metastable neon atoms, A. Aguilar, B. Brunetti, M. González and F. Vecchiocattivi 145 (1990) 211
- Experimental and theoretical studies of simple attractive Penning ionization systems, A. Merz, M.W. Müller, M.-W. Ruf, H. Hotop, W. Meyer and M. Movre 145 (1990) 219
- A close-coupling theory of associative detachment of electrons from negative ions, S.E. Haywood and J.B. Delos 145 (1990) 253

*Molecular motion (including diffusive)*

- Collimation of a rubidium beam below the Doppler limit, B. Sheehy, S.-Q. Shang, P. van der Straten and H. Metcalf 145 (1990) 317
- A high intensity metastable neon trap, F. Shimizu, K. Shimizu and H. Takuma 145 (1990) 327
- The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene, H.A. Kolodziej, T. Głowiak, S. Sorriso, V. Caia and M. Braghetti 145 (1990) 355

*Thermodynamic and transport properties*

- Thermal conductivity of a moderately dense gas, C.A. Nieto de Castro, D.G. Friend, R.A. Perkins and J.C. Rainwater 145 (1990) 19

*Phase transitions*

- The reorientational motion of substituted benzenes in the crystalline state. Dielectric relaxation of orthodinitrotetramethylbenzene and orthodinitrotetrachlorobenzene, H.A. Kolodziej, T. Głowiak, S. Sorriso, V. Caia and M. Braghetti 145 (1990) 355

